PLANAR VM SERIES LCD VIDEO WALL

Product Overview – January 2020





Comprehensive, High Performance LCD Video Wall Line

- Choice of 0.88mm, 1.8mm or 3.5mm tiled image to image widths
- Stunning image clarity
 - IPS panel technology
 - Available in either 55" or 49" sizes
 - Models with nit brightness ranging from 450 to 700 nits
- Local dimming, dynamic backlight
- Tiling flexibility
 - All-in-one design
 - 4K @ 60Hz loop through
 - RS-232 and IR loop through
 - Video wall scaling support for up to 10 x 10 wall





Comprehensive, High Performance LCD Video Wall Line



- Flexible integration features
 - Support for Landscape or Portrait mounting
 - DisplayPort 1.2 and HDMI 2.0 (HDCP 2.2 compliant) high bandwidth inputs
 - Fanless design
 - On-screen Display, remote & serial command set
 - OPS Slot
 - Optional accessories
 - Trim to cover display edges
 - Mount landscape only



Planar VM Series – Wide Product Breadth

\star	New in 2019!	R	→←		;o;	(Recent)
	MODEL	DIAGONAL	TILED BEZEL WIDTH	RESOLUTION	BRIGHTNESS	ENERGY STAR
\star	VM55MX-M	55"	0.88mm (even)	1920x1080	700 nits	Yes
\star	VM55LX-M	55"	0.88mm (even)	1920x1080	500 nits	Yes
	VM55MX-X	55"	1.8mm (even)	1920x1080	700 nits	Pending
	VM55LX-X	55"	1.8mm (even)	1920x1080	500 nits	Pending
	VM55LX-U	55"	3.5mm	1920x1080	500 nits	Pending
\star	VM49MX-X	49"	1.8mm (even)	1920x1080	700 nits	Yes
\star	VM49LX-U	49"	3.5mm	1920x1080	450 nits	Yes
						PLANA

Target Markets For Planar VM Series LCD Video Wall

Lobbies



- Corporate
- Hospitality
- Healthcare

Public Spaces



- Resorts/casinos
- Airports
- Higher education
- Arenas
- Museums

Retail



- In-store
- Shopping malls



Warranty

Planar[®] VM Series LCD Video Walls are covered by Planar Standard Limited Warranty, which features:

- 3-year protection
- Advance replacement
- Access to 24x7 emergency phone support

Extended warranty and installation services are also available.



Optional Accessories

Mount – Landscape only

- Planar VMT-MXL
 - Spring-loaded scissor extension and integrated service kickstand for rear display access.
 - Precise lateral alignment capability.
 - Mount Depth = 4.94"
 - Supports standard VESA hole pattern





Optional Accessories

Trim – Used for both Landscape and Portrait Mounting

- Number of unique part numbers required vary by model
- No distinction between landscape or portrait mounting
- Trim model names are clearly identified so the installer knows what piece is used where – for example:

Part Number		Description
		Cosmetic Trim for VM Series 55in XNB Displays to cover the top edge of the
	VM55 XNB Trim. Landscape:	LCD when mounted in landscape and right edge of LCD when mounted in
935-0456	Top; Portrait Right	portrait. 1 per display edge. 5 screws included.



Key Selling Points

- Variety of features tiled bezel widths, sizes, brightness levels and price points for a wide range of mission-critical video wall projects
- Excellent image performance
 - IPS panel offering excellent color reproduction and wide viewing angles
 - Local dimming for greater contrast
- Modern IO supporting 4K @ 60Hz loop through
- Built for High Performance
- ENERGY STAR[®] certified display models



THANK YOU



Confidential